

IMPACT
A BETTER FLOOR



LUXURY VINYL PLANK

CAPTIVATE

3.0 MM

RESPONSIVE



CAPTIVATE

LUXURY VINYL PLANK

RESPONSIVE 



SIZE: 8.98" x 60"




THICKNESS: 3.0 MM

WEAR LAYER: 22 MIL | 0.55 MM

PIECES: 12 PER CARTON

COVERAGE: 44.88 SQ FT / 4.17 M² / CARTON

INSTALLATION: GLUE DOWN, DRY BACK LVP



8.98" x 60" x 3 mm
228.00 mm x 1524mm x 3 mm
22 MIL / 0.55 mm

12 PCS / CARTON
44.88 SQ.FT / CARTON
4.17 SQ.M / CARTON

44 CARTONS / PALLET

CAPTIVATE

LUXURY VINYL PLANK



LUXURY VINYL PLANKS FOR HEAVY COMMERCIAL | PUR POLYURETHANE REINFORCEMENT | PRODUCT STANDARD: ISO 10582

CERTIFICATION & CLASSIFICATION	STANDARDS	CAPTIVATE
TYPE OF FLOOR COVERING	ISO 10582	LUXURY VINYL PLANK
CE CERTIFICATION	EN 14041	YES
CLASSIFICATION	EN ISO 10874	32 / 42
TECHNICAL CHARACTERISTICS	STANDARDS	CAPTIVATE
TOTAL THICKNESS	EN ISO 2436 (EN 428)	3.0 MM
WEAR LAYER THICKNESS	EN ISO 24340 (EN 429)	0.55 MM / 22 MIL
SURFACE TREATMENT	UV TREATED	PUR
MASS PER UNIT AREA	EN ISO 23997 (EN 430)	5.2 KG / M ²
WEAR LAYER BINDER CONTENT	ISO 10582	TYPE I
FORM OF DELIVERY	EN ISO 24342 (EN 427) PLANKS BOX	8.98" X 60" 12 PLANKS / CARTON = 44.88 SF 228 X 1524 MM 12 PLANKS / CARTON = 4.17 M ²
TECHNICAL PERFORMANCE	STANDARDS	CAPTIVATE
DIMENSIONAL STABILITY	EN ISO 23999 (EN 434)	≤ 0.1%
REACTION TO FIRE	EN 13501 – 1	CLASS <u>B</u> FL- S1
RESIDUAL INDENTATION	EN ISO 24343-1 (EN 433)	≤ 0.05 MM
WEAR RESISTANCE	EN 660-1	GROUP T
CASTOR CHAIR	EN ISO 4918 (EN 425)	NO DAMAGE
CURL RESULTANT TO HEAT	EN ISO 23999 (EN 434)	≤ 2 MM
LIGHT FASTNESS	EN ISO 105 – B02	≥ 6
RESISTANCE TO STAIN	EN 438	GRADE 5
RESISTANCE TO CHEMICALS	EN ISO 26987 (EN 423)	GOOD RESISTANCE
SLIP RESISTANCE	DIN 51130 EN 13893	R 10 CLASS DS
ELECTRICAL PROPERTIES	EN 1815 EN 1081	<2KV ON CONCRETE R1 > 1010 Ω
THERMAL RESISTANCE	EN ISO 10456	0.07 M2 K/W



ISO 9001
ISO 14001
ISO 18001





LIMITED RESIDENTIAL WARRANTY




LIGHT COMMERCIAL WARRANTY



EN 14041



LAYER DIAGRAM



FEATURES & BENEFITS

Superior Scratch
& Stain Resistant

Zero
Maintenance

Easy
Clean

Natural Looking
Design

Heavy
Foot Traffic

Easy
Installation

APPLICATIONS

Corporate
Offices

Commercial
Establishments

Retail
Outlets

Hotels &
Hospitality

FRISCO

CAP-FR-301

RESPONSIVE 



ERISCO
CAP-FR-301

RESPONSIVE



A

B

C

D



GRAIN DETAIL

BIGHORN
CAP-BI-302

RESPONSIVE 



BIGHORN
CAP-BI-302

RESPONSIVE



A

B

C

D



GRAIN DETAIL

DENALI
CAP-DE-303

RESPONSIVE 



DENALI
CAP-DE-303

RESPONSIVE



A



B



C



D



GRAIN DETAIL

WHITNEY
CAP-WH-304

RESPONSIVE 



WHITNEY
CAP-WH-304

RESPONSIVE



A



B



C



D



GRAIN DETAIL

ALPINE
CAP-AL-305

RESPONSIVE 



ALPINE
CAP-AL-305

RESPONSIVE




A



B



C



D



GRAIN DETAIL

CASCADE
CAP-CA-306

RESPONSIVE 



CASCADE
CAP-CA-306

RESPONSIVE



A



B



C



D



GRAIN DETAIL

OLYMPIC
CAP-OL-307

RESPONSIVE 



OLYMPIC
CAP-OL-307

RESPONSIVE



A



B



C



D



GRAIN DETAIL

DURANGO
CAP-DU-308

RESPONSIVE 



DURANGO
CAP-DU-308

RESPONSIVE 



A



B



C



D



GRAIN DETAIL